
OPTION 18
Options 1a and 1b remove all other departments to maintain the library in the current location to take advantage of traffic generated by the adjacent parks. Here, an exposed second floor mezzanine is utilized for reading areas and special collections. Demolition of the existing garage and generator, and utilities are relocated to allow expansion of the building to maximize use of the site. This scheme would allow for a drive-thru book drop accessed from the north.
The 2020 space needs will not fit into this option once the needed spaces such as public restrooms, mechanical rooms, meeting / converence rooms, etc. that are provided by other

ر خي




BASEMENT

FIRST FLOOR

| | | BASIMENT | FIRST | SECOND |
|------------------------|--------|----------|--------|--------|
| VILLAGE ADMINISTRATION | | •1 | , | • |
| LIGHT & WATER | | | | |
| TOWN ADMINISTRATION | | ı | | • |
| POLICE DEPARTMENT | | • | | • |
| LIBRARY | 18,850 | 1,500 | 13,685 | 3,665 |
| | 18,850 | 1,500 | 13,685 | 3,665 |


〇PTTON 打b
Demolition of the existing garage and generator and utilities are relocated to allow expansion. A new basement is utilized for a major collection. New stairs and elevation are required.


The 2020 space needs will not fit into this option once the needed spaces such as public restrooms, mechanical rooms, meeting / converence rooms, etc. that are provided by other departments are added.



OPTION 28
Options 2a and 2b keep the Village, Town, and Light and Water together because of their common uses. The Library and PD are removed to another site. Here, we explored what may be able to be done with a minimum of major demolition and new construction. The Town maintains a prominant location but does NOT and share a lobby common with the other departments. Bathrooms are located to take advantage of the existing basement.

The 2020 space needs seem to be well matched to this option.





YILL AG




BASEMENT


FIRST FLOOR


| | | BASEMENT | FIRST | SECOND |
|------------------------|--------|----------|--------|--------|
| VILLAGE ADMINISTRATION | 11,885 | 675 | 10,670 | 540 |
| LIGHT & WATER | 1,590 | 825 | 765 | • |
| TOWN ADMINISTRATION | 2,000 | • | 2,000 | • |
| POLICE DEPARTMENT | | • | | |
| LIBRARY | | • | • | . • |
| | 15,475 | 1,500 | 13,490 | 540 |


OPTION 26
Here, demolition of the existing garage and generator makes way for new construction that provides slightly more breathing room than option 2a. The town maintains a prominant location with an independent entrance. The other departments share access via a common lobby. The existing garage is utilized for storage.

The 2020 space needs are slightly exceeded by this option.









| | f) |
|---|----|
| Ċ | ĺ |
| (| 2 |
| Ę | 7 |
| = | Ŋ |
| Ć |) |
| (| |
| 0 | v |

| [][qo | |
|-------|--|
| 2 | |
|)N 26 | |
| 9 | |

BASEMENT


| | LIBRARY | POLICE DEPARTMENT | TOWN ADMINISTRATION | LIGHT & WATER | VILLAGE ADMINISTRATION | |
|--------|---------|-------------------|---------------------|---------------|------------------------|----------|
| 14,260 | | | 1,940 | 1,550 | 10,775 | |
| 1,500 | 2 | • | • | 675 | 825 | BASEMENT |
| 12,225 | • | • | 1,940 | 875 | 9,410 | FIRST |
| 540 | • | | • | | 540 | SECOND |


OPTION 3a


Options 3a and 3b remove the library to a new location to allow the remaining departments the advantage of being co-located. Here, the town slides into an underutilized area of the existing building and the PD is housed in a new second floor addition, but maintains a first floor presence adjacent to a common lobby area. Demolition of the existing garage and generator, and utilities are relocated to make way for stairs and elevator to the second floor. The main door is now located of the street corner beneath the tower.


GARAGE

The 2020 space needs are slightly exceeded by this option.










BASEMENT

FIRST FLOOR

| | | BASEMENT | FIRST | SECOND |
|------------------------|--------|----------|--------|--------|
| VILLAGE ADMINISTRATION | 12,640 | 825 | 11,275 | 540 |
| LIGHT & WATER | 1,445 | 675 | 770 | • |
| TOWN ADMINISTRATION | 1,940 | | 1,940 | |
| POLICE DEPARTMENT | 8,270 | 1 | 1,745 | 7,035 |
| LIBRARY | • | • | , | • |
| | 24,805 | 1,500 | 15,730 | 7,575 |

©PTION 36
This option locates the PD on the north of the facility with an independant public entrance with other shared access to the town hall. The basement is used by the PD for evidence processing and storage, and intermixes the Village and L&W offices to reduce redundant spaces. Demolition of the existing garage and generator, and utilities are relocated to allow the modest western expansion.

The 2020 space needs will not fit in this option without modest trimming of 10%



LIBRARY

19,710

3,485

15,685

57 **0**

POLICE DEPARTMENT

8,445

3,485

4,420


54 0


OPTION 4a
Options 4a and 4b keep the Village, Town, and Light & Water together because of their common functions, but relocates them to another site. Demolition of the existing garage and generator, and utilities are relocated to new construction to occur. The PD is on a new second floor location, with public access and the fleet garage on the west side of the building. A drive-up book return is possible to the north.

_ _ _

The 2020 space needs appear to fit this scheme with a slight amount of trimming to account for public toilets and large meeting room.

ENTRY







BASEMENT


FIRST FLOOR

SECOND FLOOR

| | | BASEMENT | FIRST | SECOND |
|------------------------|--------|----------|--------|--------|
| VILLAGE ADMINISTRATION | 1 | | | 8 |
| LIGHT & WATER | | 1 | | • |
| TOWN ADMINISTRATION | | , | • | |
| POLICE DEPARTMENT | 8,490 | 825 | 14,810 | 7,570 |
| LIBRARY | 16,310 | 675 | 920 | • |
| | 24,800 | 1,500 | 15,730 | 7,570 |

©PTTON 4b

The 2020 space needs appear to fit this scheme with a slight amount of trimming to account for public tollets and large meeting room.



BASEMENT

FIRST FLOOR

| | | BASEMENT | FIRST | SECOND |
|------------------------|--------|----------|--------|---------|
| VILLAGE ADMINISTRATION | • | 1 | | • |
| LIGHT & WATER | | ı | | |
| TOWN ADMINISTRATION | ı | • | • | • |
| POLICE DEPARTMENT | 6,910 | 5,450 | 920 | 54 O |
| LIBRARY | 18,860 | 725 | 14,810 | 3,125 |
| | 25,770 | 6,175 | 15,730 | 3,665 |

| Contraction of the contract of | | | 7 | | , | l | • | ļ | | l | | ı | | l | 14000 | - | CONTRACTOR OF THE PARTY OF THE |
|--|----------|------------|-----------|-----|-------------|-----|-------------|----------------|---|-------------|-----------|------|-----------|------|--|------|---|
| | | | | . | | | | | Options | 0 | S | | | | 등로 한 번째 선생 생물도 가장 한 편하수 하면 보고 있는 요요 한 전에 가장 중에 보면 이 사람들은 보고 지역하면 생생하면 하는 것이 하는 것이 되었다. | | |
| Category | 3 | | 12 | | 1 b | | 1a 1b 2a 2b | | 2b | | 3a | | | | 42 | | \$ |
| all Site | | | | , | |) | | ••••• | | • | | 9 | 3 | 9 | 3 610 001 | 0 | 3 300 111 |
| | Š | ra 64 | 355 441 | A & | 374 078 | 9 6 | 548.624 | 9 6 | 5 1,702,940 5 2,493,601 5 3,007,490 6 1,403,770 6 3,017,770 6 3,017,770 6 3,017,770 6 3,017,770 6 3,017,770 6 | 69 6 | 542,999 | es e | 332,741 | €9 € | 332,741 \$ 542,999 \$ 359,867 | 69 | 359,867 |
| Consulation Countingency | i. | 16 | 1000 | ١ | ,,,,, | 1 | | 1 | | 1 | | , | , , , , , | ٠[| 127 000 | ٠ | 7 750 070 |
| Total | | 69 | ,958,381 | 69 | 2,867,929 | 60 | 4,206,114 | €9 | 1,616,642 | € ? | 4,162,995 | 64 | 2,551,012 | 6 | 4,162,990 | U | 2,758,978 |
| New Building for displaced departments | | | | | | | 25.050 | | 36 050 | | 50 | | 18 500 | | 13 000 | | 13 000 |
| Estimated Cost \$111 | ž | 57) NJ | 282.750 | 89 | 2,282,750 | 69 | 2,972,750 | (9 | 2,972,750 | 69 | 2,127,500 | | 2,127,500 | 60 | 2,127,500 \$ 1,495,000 \$ 1,495,000 | 69 | 1,495,000 |
| ontingency | % | () | 182,620 | θĐ | 182,620 | €4 | 237,820 | Ġ | 8% S 182,620 S 182,620 S 237,820 S 237,820 S 170,200 S | S | 170,200 | | 170,200 | 60 | 119,600 | 69 | 119,600 |
| · | | K3 | ,465,370 | e٥ | 2,465,370 | 6-3 | 3,210,570 | €9 | \$ 2,465,370 \$ 2,465,370 \$ 3,210,570 \$ 3,210,570 \$ 2,297,700 \$ | જ | 2,297,700 | | 2,297,700 | 6-9 | 1,614,600 | 69 | 1,614,600 |
| All Buildings | | 4 | 1,423,751 | S | 5,333,299 | 69 | 7,416,684 | €9 | 4,423,751 \$ 5,333,299 \$ 7,416,684 \$ 4,827,212 \$ 6,460,695 \$ | 69 | 6,460,695 | €9 | 4,848,712 | S | 4,848,712 S 5,777,590 S 4,373,578 | 60 | 4,373,578 |
| Variance (+/- %) | <u>%</u> | ₩. | 442,375 | 69 | 533,330 | ↔ | 741,668 | 69 | 10% \$ 442,375 \$ 533,330 \$ 741,668 \$ 482,721 \$ 646,070 \$ | 60 | 646,070 | €9 | 484,871 | 69 | 484,871 \$ <i>577,759</i> \$ 437,358 | 69 | 437,358 |
| High Estimate | - | 4 | ,866,000 | 69 | 5,867,000 | 99 | 8,158,000 | 69 | \$ 4,866,000 \$ 5,867,000 \$ 8,158,000 \$ 5,310,000 \$ 7,107,000 \$ 5,334,000 \$ 6,355,000 \$ 4,811,000 | · 69 | 7,107,000 | • •• | 5,334,000 | 9 00 | 6,355,000 | 9 69 | 4,811,000 |
| Low Estimage | | ر در | 981 000 : | -9 | 4.800,000 : | ç | 6.675.000 | 69 | 4.344.000 | 69 | 5,815,000 | 69 | 4,364,000 | ψ, | 5,200,000 : | ¥ | 3,936,000 |

Cost Estimates, Extremely Mild Intervention: New Glarus Municipal / Library Feasibility Study

| | | | | | | | | | Options | 100 | 9 | | | | | | |
|--|--------------|-----|----------------------------|---------|------------------------------------|-----|------------------------------|------|------------------------|-------|------------------------|----------|------------------------|-------|--|--------|-----------|
| Category | | | 12 | | 16 | | 2a | | 2 b | | 32 | 1 | 3b | | 42 | | 46 |
| Village Hall Site | | | | | | | | | | | | | · | | | | 3 |
| SF of new construction needed | | | 8,120 | | 10,150 | | 2,700 | | 0 | | 12,100 | | 8,560 | | 12,100 | | 13,200 |
| Estimated Cost | \$160sf | S | 1,299,200 : \$ | 69 | 1,624,000 | 60 | 432,000 | Ś | , | 64 | 1,936,000 | 69 | 1,369,600 | 69 | 1,369,600 \$ 1,936,000 \$ | | 2,112,000 |
| SF of renovation needed | •••• | | 10,730 | | 9,780 | | 12,775 | •••• | 14,260 | | 12,700 | | 11,150 | | 12,700 | | 12,560 |
| Extimated Cost | \$45sf | ₩ | 482,850 | ↔ | 440,100 | 63 | 574,875 | 69 | 641,700 | S | 571,500 | 69 | 501,750 | 69 | \$ 571,500 \$ 565,200 | 69 | 565,200 |
| Total | | GΘ | 1,782,050 : \$ | | 2,064,100 | 643 | 1,006,875 | 69 | 641,700 | S | 2,507,500 | €9 | 1,871,350 \$ | 69 | 2,507,500 | 69 | 2,677,200 |
| Construction Contingency | 15% \$ | 69 | 267,308 S | | 309,615 | €⁄3 | 151,031 | €9 | 96,255 | €9 | 376,125 | \$ | 280,703 | S | 376,125 | 69 | 401,580 |
| Total | | 83 | 2,049,358 \$ 2,373,715 | çs | - 1 | ŀο | 1,157,906 \$ | €9 | 737,955 | 69 | 2,883,625 | €3 | 2,152,053 | 63 | 2,152,053 \$ 2,883,625 \$ 3,078,780 | 69 | 3,078,780 |
| New Building for displaced departments | | |))) | | | | | | | | | | 500 | | 13 | | 13 000 |
| Retirested Cost | \$115cf; \$ | | 2.282.750 S | | 2.282.750 | 69 | 2.972,750 S | (v) | 2.972,750 \$ | 6v3 | 2,127,500 | 63 | 2,127,500 : \$ | છ | \$ 1,495,000 \$ 1,495,000 | 6-9 | 1,495,000 |
| Construction Contingency | s 8% 8 | | 182,620 \$ | | 182,620 | S | 237,820 \$ | 69 | 237,820 | S | 170,200 : \$ | i | 170,200 | 629 | 119,600 | (v) | 119,600 |
| Total | | Ś | 2,465,370 S 2,465,370 S | છ | 2,465,370 | S | 3,210,570 \$ | | 3,210,570 \$ | | 2,297,700 \$ | | 2,297,700 | S | 2,297,700 \$ 1,614,600 \$ 1,614,600 | 69 | 1,614,600 |
| All Buildings | | S | 4,514,728 | 60 | 4,839,085 | 69 | \$ 4,839,085 \$ 4,368,476 \$ | 69 | 3,948,525 \$ | €9 | 5,181,325 | ⇔ | 4,449,753 | 649 | 4,449,753 \$ 4,498,225 \$ 4,693,380 | €4 | 4,693,380 |
| Variance (+/- %) | 10% \$ | S | 451,473 | မာ | 483,909 | €S. | 436,848 \$ | (A) | 394,853 | €9 | 518,133 | 69 | 444,975 S | S | 449,823 \$ 469,338 | €5 | 469,338 |
| High Estimate Low Estimage | | - ^ | 1100 (ASIA) 1100 (ASIA) | မှာ မှာ | \$ 5,323,000 \$ \$ 4,355,000 \$ | SS | 4,805,000 S 3,932,000 S | | 4,343,000 3,554,000 | es es | 5,699,000 4,663,000 | SS | 4,895,000 4,005,000 | 80 80 | 4,895,000 \$ 4,948,000 \$ 3,234,000 4,005,000 \$ 4,048,000 \$ 3,234,000 | معيد ا | 1224,000 |